

# DINOSAURIA

## A Prehistoric Villains & Vigilantes Campaign Resource

By Tim Hartin

---

### ALLOSAURUS

**PERIOD:** Late Jurassic (150 to 140 million years ago)

**HEIGHT:** 10 ft tall

**LENGTH:** 40 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
8800	8	20	55	+2	2d12	46	180" ground

**SPECIAL ABILITIES:**

**Heightened Senses:** Acute sense of smell (Detect Hidden 30%, Detect Danger 40%)

---

### ANKYLOSAURUS

**PERIOD:** Late Cretaceous (70 to 65 million years ago)

**HEIGHT:** 4 ft tall

**LENGTH:** 25 to 35 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
12,000	2	12	50	-3	2d10	36	30" ground

**SPECIAL ABILITIES:**

- **Armour (Type A):** ADR 95.

**NOTES:**

- Attacks with club-like tail (2d10 damage).
- 

### APATOSAURUS

**PERIOD:** Late Jurassic (157 to 146 million years ago)

**HEIGHT:** 10 to 15 ft tall (at hips)

**LENGTH:** 70 to 90 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
76,000	1	8	350	-8	5d10	33	60" ground

**NOTES:**

- Attacks by either stepping on its target (5d10 damage) or with a tail whip (2d8 damage).
- 

**ARCHAEOPTERYX**

**PERIOD:** Late Jurassic (150 million years ago)

**HEIGHT:** 1 ft tall

**LENGTH:** 1½ ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
11 – 18 ounces	16	12	2	+6	1d4+1	56	6" ground 66" flight

**SPECIAL ABILITIES:**

- **Heightened Senses:** Acute sense of smell (Detect Hidden 20%, Detect Danger 40%)
- 

**BRACHIOSAURUS**

**PERIOD:** Late Jurassic (157 to 146 million years ago)

**HEIGHT:** 40 to 50 ft tall

**LENGTH:** 80 to 85 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
57,400	1	8	250	-8	6d10	38	72" ground

**NOTES:**

- Attacks by either stepping on its target (6d10 damage) or with a tail whip (3d8 damage).
- 

**CARCHARODONTOSAURUS**

**PERIOD:** Middle Cretaceous (110 to 90 million years ago)

**HEIGHT:** 12 ft tall (at hips)

**LENGTH:** 26 to 44 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
16,000	8	18	60	+2	2d12+4	44	164" ground

**SPECIAL ABILITIES:**

- **Heightened Senses:** Acute sense of smell (Detect Hidden 30%, Detect Danger 40%)
- 

**CARNOTAURUS**

**PERIOD:** Middle Cretaceous (113 to 91 million years ago)

**HEIGHT:** 6½ ft tall (at hips)

**LENGTH:** 25 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
2000	9	16	38	+4	2d8	46	84" ground

**SPECIAL ABILITIES:**

- **Heightened Senses:** Acute sense of smell (Detect Hidden 30%, Detect Danger 40%)

**COELOPHYSIS**

**PERIOD:** Triassic Period (220 million years ago)

**HEIGHT:** 8 ft tall

**LENGTH:** 10 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
50	14	14	6	+3	1d6+2	42	120" ground

**SPECIAL ABILITIES:**

- **Heightened Senses:** Acute sense of smell (Detect Hidden 20%, Detect Danger 40%)
- 

**CRETOXYRHINA (Shark)**

**PERIOD:** Late Cretaceous Period (70 million years ago)

**HEIGHT:** 2½ ft tall

**LENGTH:** 18 to 23 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
4000	10	18	24	+4	2d8+4	66	122" swimming

**SPECIAL ABILITIES:**

- **Heightened Senses:** Acute sense of smell (Detect Hidden 30%, Detect Danger 40%)

**NOTES:**

- **Habitat:** Deep Ocean
- 

**DEINONYCHUS**

**PERIOD:** Early Cretaceous Period (110 million years ago)

**HEIGHT:** 6 ft 6" tall

**LENGTH:** 16 to 23 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
161	15	16	8	+6	2d8+3	56	136" ground

**SPECIAL ABILITIES:**

- **Heightened Senses:** Acute sense of smell (Detect Hidden 30%, Detect Danger 40%)
- 

**DIPLODOCUS**

**PERIOD:** Late Jurassic (155 to 145 million years ago)

**HEIGHT:** 16 ft tall (at hips)

**LENGTH:** 90 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
40,000	1	6	220	-8	4d10	38	72" ground

**NOTES:**

- Attacks by either stepping on its target (4d10 damage) or with a tail whip (2d10 damage).

**DROMAEOSAURUS**

**PERIOD:** Late Cretaceous (76 to 72 million years ago)

**HEIGHT:** 1½ ft tall

**LENGTH:** 6 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
33	14	15	5	+3	2d12	45	180" ground

**SPECIAL ABILITIES:**

- **Heightened Senses:** Acute sense of smell and hearing (Detect Hidden 10%, Detect Danger 40%)

**DRYOSAURUS**

**PERIOD:** Late Jurassic (156 to 145 million years ago)

**HEIGHT:** 5 ft tall (at hips)

**LENGTH:** 10 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
200	8	6	5	-2	1d3	42	146" ground

**EDMONTOSAURUS**

**PERIOD:** Cretaceous Period (73 to 65 million years ago)

**HEIGHT:** 10 ft tall (at hips)

**LENGTH:** 42 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
8000	8	6	30	-2	1d3	46	68" ground

**EINIOSAURUS**

**PERIOD:** Cretaceous Period (84 to 71 million years ago)

**HEIGHT:** 6½ ft tall (at hips)

**LENGTH:** 20 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
4000	3	12	16	-4	1d10+4	54	100" ground

**SPECIAL ABILITIES:**

- **Armour (Type A):** ADR 35.

**NOTES:**

- Attacks with horn/head butt (1d10+4 damage).

**EOTYRANNUS**

**PERIOD:** Middle Cretaceous (120 to 125 million years ago)

**HEIGHT:** 8 ft tall (at hips)

**LENGTH:** 15 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
200	8	19	8	+2	2d8+2	50	88" ground

**SPECIAL ABILITIES:**

- **Heightened Senses:** Acute sense of smell (Detect Hidden 30%, Detect Danger 40%)

**GASPARINISAURA**

**PERIOD:** Late Cretaceous (90 to 83 million years ago)

**HEIGHT:** 1 ft tall

**LENGTH:** 31" long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
75	14	5	3	+1	1d3	38	22" ground

**GERMANODACTYLUS (Pterosaur)**

**PERIOD:** Late Jurassic (150 million years ago)

**HEIGHT:** ½ ft tall

**WINGSPAN:** 4 ft 5" long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
10	21	10	2	+8	1d4+2	56	68" flight 2" ground

**SPECIAL ABILITIES:**

- **Heightened Senses:** Acute sense of smell (Detect Hidden 10%, Detect Danger 40%)

**GORGOSAURUS**

**PERIOD:** Late Cretaceous (76 to 68 million years ago)

**HEIGHT:** 12 ft tall

**LENGTH:** 26 to 30 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
6000	6	20	15	+2	2d12+4	48	144" ground

**SPECIAL ABILITIES:**

- **Heightened Senses:** Acute sense of smell (Detect Hidden 30%, Detect Danger 40%)

## HERRERASAURUS

**PERIOD:** Triassic Period (113 to 91 million years ago)

**HEIGHT:** 4 ft tall (at hips)

**LENGTH:** 10 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
700	8	15	12	+2	1d8+3	48	120" ground

### SPECIAL ABILITIES:

- **Heightened Senses:** Acute sense of smell (Detect Hidden 24%, Detect Danger 40%)
- 

## ICHTHYOSAUR (Marine Reptile)

**PERIOD:** Mesozoic Era (230 to 90 million years ago)

**HEIGHT:** 3 ft tall

**LENGTH:** 8 to 30 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
1600	12	14	30	+5	2d8	46	62" swimming

### SPECIAL ABILITIES:

- **Heightened Senses:** Acute sense of smell (Detect Hidden 30%, Detect Danger 40%)

### NOTES:

- **Habitat:** Deep Ocean
- 

## IGUANODON

**PERIOD:** Late Cretaceous (135 to 125 million years ago)

**HEIGHT:** 9 ft tall

**LENGTH:** 20 to 33 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
10,000	6	7	40	-2	1d6	46	70" ground

### NOTES:

- Will use its thumbspike to defend itself (1d6 damage). Naturally its first line of defense is to run away.
- 

## LEPTOCERATOPS

**PERIOD:** Late Cretaceous (68 to 65 million years ago)

**HEIGHT:** 2½ ft tall (at hips)

**LENGTH:** 6½ ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
8000	2	7	25	-4	1d4	42	54" ground

---

## MEGARAPTOR

**PERIOD:** Late Cretaceous (76 to 72 million years ago)

**HEIGHT:** 6 ft tall (at hips)

**LENGTH:** 20 to 26 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
135	12	18	5	+3	2d8+3	50	88" ground

### SPECIAL ABILITIES:

- **Heightened Senses:** Acute sense of smell (Detect Hidden 22%, Detect Danger 42%)
- 

## MUTTABURRASAUROS

**PERIOD:** Middle Cretaceous (113 to 97½ million years ago)

**HEIGHT:** 9 ft tall

**LENGTH:** 24 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
8000	6	7	35	-2	1d6	46	68" ground

### NOTES:

- Will use its thumbspike to defend itself (1d6 damage). Naturally its first line of defense is to run away.
- 

## NOTHOSAUR (Marine Reptile)

**PERIOD:** Triassic Period (210 million years ago)

**HEIGHT:** 3½ ft tall

**LENGTH:** 12 to 26 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
36,000	10	16	120	+4	2d10	54	82" swimming 6" ground

### SPECIAL ABILITIES:

- **Heightened Senses:** Acute sense of smell (Detect Hidden 22%, Detect Danger 42%)

### NOTES:

- **Habitat:** Near Shore, Marine
- 

## OTHNIELIA

**PERIOD:** Late Jurassic (156 to 145 million years ago)

**HEIGHT:** 1 ft tall

**LENGTH:** 4 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
50	15	6	3	+2	1d4	52	58" ground

---

## PACHYCEPHALOSAURUS

**PERIOD:** Middle Cretaceous (113 to 97½ million years ago)

**HEIGHT:** 9 ft tall

**LENGTH:** 15 to 16 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
4400	10	12	18	-	1d8+2	56	66" ground

### NOTES:

- Attacks with head butt (1d8+2 damage). Has 3 points of Invulnerability on the top of its head.
- 

## PANOPLOSAURUS

**PERIOD:** Late Cretaceous (76 to 73 million years ago)

**HEIGHT:** 4 ft tall

**LENGTH:** 23 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
8000	3	12	32	-4	1d12+3	40	42" ground

### SPECIAL ABILITIES:

- **Armour (Type A):** ADR 120.

### NOTES:

- Attacks with a defensive charge (1d12+3 damage).
- 

## PELOROSAURUS

**PERIOD:** Early Cretaceous (138 to 112 million years ago)

**HEIGHT:** 40 ft tall

**LENGTH:** 80 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
120,000	1	5	420	-8	6d10	58	98" ground

### NOTES:

- Attacks by either stepping on its target (6d10 damage) or with a tail whip (3d10 damage).
- 

## PINACOSAURUS

**PERIOD:** Late Cretaceous (85 to 81 million years ago)

**HEIGHT:** 2 ft tall (at hips)

**LENGTH:** 18 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
8000	3	12	30	-3	2d10	42	40" ground



**SPECIAL ABILITIES:**

- **Armour (Type A):** ADR 100.

**NOTES:**

- Attacks with club-like tail (2d10 damage).
- 

**PLESIOSAUR (Marine Reptile)****PERIOD:** Mesozoic Era (230 to 65 million years ago)**HEIGHT:** 9 ft tall (at flippers)**LENGTH:** 49 ft long**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
50,000	8	18	100	+2	3d10	58	92" swimming

**SPECIAL ABILITIES:**

- **Heightened Senses:** Acute sense of smell (Detect Hidden 24%, Detect Danger 44%)

**NOTES:**

- **Habitat:** Deep Ocean
- 

**PTERANODON (Pterosaur)****PERIOD:** Late Cretaceous (85 to 75 million years ago)**HEIGHT:** 6 ft tall**WINGSPAN:** 25 to 33 ft long**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
55	21	10	3	+8	1d6+2	58	78" flight 3" ground

**SPECIAL ABILITIES:**

- **Heightened Senses:** Acute sense of smell (Detect Hidden 20%, Detect Danger 40%)
- 

**QUETZALCOATLUS (Pterosaur)****PERIOD:** Late Cretaceous (75 to 65½ million years ago)**HEIGHT:** 1½ ft tall**WINGSPAN:** 36 to 39 ft long**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
260	20	12	12	+8	1d8+2	64	98" flight 4" ground

**SPECIAL ABILITIES:**

- **Heightened Senses:** Acute sense of smell (Detect Hidden 20%, Detect Danger 40%)
-

## SALTOPUS

**PERIOD:** Late Triassic (225 to 222 million years ago)

**HEIGHT:** 8' tall (at hips)

**LENGTH:** 2 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
2	18	12	2	+7	1d6+3	46	82" ground

### SPECIAL ABILITIES:

- **Heightened Senses:** Acute sense of smell (Detect Hidden 20%, Detect Danger 40%)
- 

## SPINOSAURUS

**PERIOD:** Middle Cretaceous (97 to 95 million years ago)

**HEIGHT:** 15 to 20 ft tall

**LENGTH:** 40 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
12,000	3	19	52	-	2d12+4	52	132" ground

### SPECIAL ABILITIES:

- **Heightened Senses:** Acute sense of smell (Detect Hidden 24%, Detect Danger 44%)
- 

## STEGOSAURUS

**PERIOD:** Late Jurassic (156 to 140 million years ago)

**HEIGHT:** 9 ft tall (at hips)

**LENGTH:** 26 to 30 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
6000	4	9	38	-2	2d8+4	46	62" ground

### SPECIAL ABILITIES:

- **Armour (Type A):** ADR 50.

### NOTES:

- Attacks with tail spikes (2d8+4 damage).
- 

## TITANOSAURUS

**PERIOD:** Late Cretaceous (83 to 65 million years ago)

**HEIGHT:** 10 ft tall (at hips)

**LENGTH:** 40 to 60 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
30,000	1	5	40	-8	5d10	56	96" ground

### NOTES:

- Attacks by either stepping on its target (5d10 damage) or with a tail whip (2d10 damage).

## TOROSAURUS

**PERIOD:** Late Cretaceous (70 to 65 million years ago)

**HEIGHT:** 7 ft tall (at hips)

**LENGTH:** 21 to 25 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
8000	4	14	34	-2	1d12+4	54	100" ground

### SPECIAL ABILITIES:

- **Armour (Type A):** ADR 45.

### NOTES:

- Attacks with horns/head butt (1d12+4 damage).

## TRICERATOPS

**PERIOD:** Late Cretaceous (72 to 65 million years ago)

**HEIGHT:** 7 ft tall (at hips)

**LENGTH:** 30 ft long

**DIET:** Herbivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
24,000	1	14	60	-2	2d12+2	58	110" ground

### SPECIAL ABILITIES:

- **Armour (Type A):** ADR 55.

### NOTES:

- Attacks with horns/head butt (2d12+2 damage).

## TROODON

**PERIOD:** Late Cretaceous (76 to 70 million years ago)

**HEIGHT:** 3 ft tall (at hips)

**LENGTH:** 6½ to 11½ ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
110	12	12	4	+7	1d6+3	42	72" ground

### SPECIAL ABILITIES:

- **Heightened Senses:** Acute sense of smell (Detect Hidden 20%, Detect Danger 40%)

## TYRANNOSAURUS REX

**PERIOD:** Late Cretaceous (67 to 65 million years ago)

**HEIGHT:** 15 to 20 ft tall

**LENGTH:** 40 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
14,000	5	20	60	-	2d12	48	195" ground

**SPECIAL ABILITIES:**

- **Heightened Senses:** Acute sense of smell (Detect Hidden 30%, Detect Danger 50%)
- 

**UTAHRAPTOR**

**PERIOD:** Cretaceous Period (125 million years ago)

**HEIGHT:** 6 ft tall (at hips)

**LENGTH:** 16 to 23 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
1100	14	18	36	-	2d8+3	54	126" ground

**SPECIAL ABILITIES:**

- **Heightened Senses:** Acute sense of smell (Detect Hidden 26%, Detect Danger 44%)
- 

**VELOCIRAPTOR**

**PERIOD:** Cretaceous Period (125 million years ago)

**HEIGHT:** 3 ft tall

**LENGTH:** 5 to 6 ft long

**DIET:** Carnivore

Weight	Agility	Ferocity	Hits	Accuracy	Damage	Power	Movement Rates
30	15	16	6	+6	1d12+1	56	132" ground

**SPECIAL ABILITIES:**

- **Heightened Senses:** Acute sense of smell (Detect Hidden 26%, Detect Danger 44%)